

## ИНФРАКРАСНЫЕ ИЗМЕРИТЕЛИ IR-СТ 20

### ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: [greisinger.nt-rt.ru](http://greisinger.nt-rt.ru) || эл. почта: [gre@nt-rt.ru](mailto:gre@nt-rt.ru)

# Infrared Thermometer IR-CT 20



- Small infrared measuring head with 20:1 optical resolution
- Freely selectable and scalable analog output
- Robust and applicable without cooling

## Characteristics

The infrared transmitter IR-CT 20 is designed for non-contact temperature measurements. The infrared measuring head allows very precise and contact-free measurements.

The infrared thermometer measures the surface temperature of the next visible surface and outputs it as linearized signal (current, voltage or thermocouple J, K).

The device is very robust and is applicable without cooling at ambient temperature up to 180 °C.


## Technical data

Measuring range	: -50..+975 °C freely scalable via programming buttons
Spectral region	: 8..14 μm
Optical resolution	: 20:1 (precision glass optics)
System accuracy	: ±1 % or ±1 °C (higher value applicable)
Reproducibility	: ±0.5 % or 0.05 °C/K (higher value applicable)
Response time	: 150 ms (95 %)
Emissions-, transmission factor	: 0,100..1,100 scalable
Output signal	: 0..20 mA, 4..20 mA, 0..5 V, 0..10 V thermocouple type J or K
Output impedance	
mA	: max. 500 Ohm (at 8..36 V DC)
V	: min. 100 kOhm load resistance
Thermocouple	: 20 Ohm
Power supply	: 8..36 V DC
Power consumption	: max. 100 mA
Cable length	: 1 m (atandard), 3 m, 15 m
Protection class	: IP65 (NEMA-4)
Vibration (measuring head)	
IEC 68-2-6	: 3G, 11..200 Hz, each axis
Shock (measuring head)	
IEC 68-2-27	: 50G, 11 ms, each axis
Weight	: Meas. head: 40 g, electronics: 420 g


Working temperature	
Measuring head	: -20..+180 °C
Electronics	: 0..65 °C

## Dimensions

Measuring box:




Measuring head:




## Optical resolution

Optical resolution: standard



Optical resolution: with option CF (auxiliary lens for measuring smallest objects)



По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

сайт: [greisinger.nt-rt.ru](http://greisinger.nt-rt.ru) || эл. почта: [gre@nt-rt.ru](mailto:gre@nt-rt.ru)